



KYSOR WARREN
epta refrigeration



OPERA T

MEDIUM TEMPERATURE SELF-CONTAINED MERCHANDISER



QUICK, SIMPLE & LOW COST INSTALLATION

- Simply plug-in and load
- No pumps or floor drains required

UNIQUE FEATURES

- Extremely quiet, advanced design clog free condenser
- Lowest preventative maintenance
- Integrated electronic controls, standard
- Noncorrosive evaporator pan and components
- Cases can be joined into continuous lineups and islands




ECO-FRIENDLY

The cabinet uses propane, a natural refrigerant, providing an environmentally sound solution for reaching your refrigeration & sustainability goals.

R290



SPECIFICATIONS & OPTIONS



- 39.42", 51.72" widths (with ends)
- 58.51" Height
- LED canopy lighting,
- 120v L5-20P plug
- Adjustable feet and casters
- (3) adjustable shelves with PTM
- Night curtain
- Standard black exterior/interior, white optional
- Tempered insulated glass view ends, or solid ends with interior mirror finish
- Multiplex and Island trim kits optional





Section View




Length (in)	39.42	51.72
Depth (in)	28.73	28.73
Height (in)	58.51	58.51
Shelf area (ft²)	15.74	20.66
Storage capacity (ft³)	9.79	13.06
Total display area (TDA) (ft²) (not inc. ends)	9.48	12.65
Product temp (°F)	<41	<41
Refrigerant type	R290	R290
Energy consumption (KW-hr per day)	16.11	19.85
Refrigerant charge (grams/oz)	110/3.88	140/4.94
Heat rejection (BTU/hr)	2291	2823
Defrost	Time off: 8/day 50° termination	Time off: 8/day 50° termination
Package dimensions (L x H x D) (in)	49.98 x 65.75 x 33.07	56.30 x 65.75 x 33.07
Net weight (lb)	463	529
Gross weight (lb)	529	595
Plug type	L5-20P 	L5-20P 
Cord length (in)	60	60



Plan View



Front View



Side View



www.kysorwarren.com



Epta