



KYSOR WARREN
eptarefrigeration



SHUFFLE KW

**DUAL TEMPERATURE SELF-CONTAINED
MERCHANDISER**

TANGO KW COMPACT

**MEDIUM TEMPERATURE SELF-CONTAINED
MERCHANDISER**



VALZER KW

**LOW TEMPERATURE SELF-CONTAINED
MERCHANDISER**



www.kysorwarren.com





KYSOR WARREN
epta refrigeration



SHUFFLE KW

DUAL TEMPERATURE SELF-CONTAINED MERCHANDISER

QUICK, SIMPLE & LOW COST INSTALLATION

- Simply plug-in and load
- Convenient casters and adjustable feet
- No pumps or floor drains required

UNIQUE FEATURES

- Extremely quiet, similar to a new household refrigerator
- Lowest preventative maintenance
- Proprietary clog free condenser coil
- Integrated electronic controls, standard
- Best-in-class energy efficiency
- Innovative fog clearing technology
- Switch frozen to medium temp by press of a button




ECO-FRIENDLY

R290

The cabinet uses propane, a natural refrigerant, providing an environmentally sound solution for reaching your refrigeration & sustainability goals.



PERFECT FOR INCREASING SALES ON

- Promos
- Cross merchandising
- Meals to go
- Online pick-up
- End caps
- Remodel support



SPECIFICATIONS

Set Points	41°F to -13°F	Display Area (ft ²)	27.1
Electrical	115V, 60Hz @ 20A	Storage Capacity (ft ³)	55.3
Defrost	Automatic hot gas	Shelving	4 rows @ 20"D
Ext. DIM (in)	83.5H x 79.3W x 33D	Weight (lbs)	869 net (case), 1041 gross (crated)
		Lights	LED Mullion



SHUFFLE KW

DUAL TEMPERATURE SELF-CONTAINED
MERCHANDISER





KYSOR WARREN
epta refrigeration



TANGO KW COMPACT

MEDIUM TEMPERATURE SELF-CONTAINED MERCHANDISER

TANGO KW COMPACT

MEDIUM TEMPERATURE SELF-CONTAINED MERCHANDISER

QUICK, SIMPLE & LOW COST INSTALLATION

- Multiplexing kit available
- Convenient adjustable leveling feet
- Factory wired for plug-n-play installation
- No pumps or floor drains required

UNIQUE FEATURES

- Slide-out condensing unit for ease of service
- Extremely quiet, similar to a new household refrigerator
- Proprietary clog free condenser coil
- Integrated electronic controls
- Soft closing doors
- Single injection foam body construction
- Transparent price holder for 1.5 tags
- Mirrored end panels
- Holds critical temp products

SPECIFICATIONS

Number of Doors	2	3	4
Exterior Dimensions Length x Height x Depth (in)*	52.4 x 80.32 x 28.4	76.9 x 80.32 x 28.4	101.5 x 80.32 x 28.4
Interior Dimensions Length x Height x Depth (in)*	49.3 x 65.4 x 17.5	73.8 x 65.4 x 17.5	98.4 x 65.4 x 17.5
Total Display Area TDA (ft ²)	20.5	30.8	41.6
Storage capacity (ft ³)	23.8	35.7	47.5
Standard # of Rows & Depth of Shelving**	5 Rows @ 16" Depth	5 Rows @ 16" Depth	5 Rows @ 16" Depth
Product Temperature Range (°F)	30-39	30-39	30-39
Electrical Requirements (Voltage/Hertz/Amps)	115 V / 60 HZ / 5.3	115V / 60 HZ / 5.6	115 V / 60 HZ / 10.7
Lights	LED Mullion /Canopy	LED Mullion /Canopy	LED Mullion /Canopy

* 1.57" thickness for each end included in the dimensions above

** Shelves can be positioned at 4 different angles and varying heights

ECO-FRIENDLY

R290

The cabinet uses propane, a natural refrigerant, providing an environmentally sound solution for reaching your refrigeration & sustainability goals.

PERFECT FOR INCREASING SALES ON

- Create line-ups
- End caps
- Promos
- Critical temp products including fresh meat
- New stores, remodels, and department expansion

MAIN ADVANTAGES



Incorporated
condensing unit



Off-cycle
defrost



Ventilated



LED lighting



High Efficiency
fans



Propane
Refrigerant
Gas (R290)

GREAT FOR



Meat



Poultry



Delicatessen



Cheese



Dairy products



Sandwiches



Drinks



Pre-packed
F&V

ACCESSORY INFORMATION

AVAILABLE ACCESSORIES

Transparent divider

Multiplex kit





Transparent plastic product stoppers
2" & 3" heights

Additional row of shelves



TANGO KW COMPACT

MEDIUM TEMPERATURE SELF-CONTAINED MERCHANDISER



Plug type:
NEMA L5-20P
6.56 ft. cord length



KYSOR WARREN
epta refrigeration

GRAB & GO



TANGO KW COMPACT

MEDIUM TEMPERATURE SELF-CONTAINED MERCHANDISER





KYSOR WARREN
epta refrigeration




VALZER KW

LOW TEMPERATURE SELF-CONTAINED MERCHANDISER

QUICK, SIMPLE & LOW COST INSTALLATION

- Patented integrated Cam-lock multiplexing system provides seamless lineups
- Rollers and adjustable leveling feet
- Factory wired for plug-n-play installation
- No pumps or floor drains required



UNIQUE FEATURES

- Full-height, triple pane, anti fog glass door with soft close
- Slide-out condensing unit for ease of service
- Quietest in its class
- Innovative clog-free condenser coil
- Integrated electronic controls, standard
- Single injection foam body construction
- Non-corrosive evaporator pan
- Integrated valve to prevent door vacuum

PERFECT FOR INCREASING SALES ON

- Build line-ups
- End caps
- Promos
- New stores, remodels and department expansion

ECO-FRIENDLY

R290

The cabinet uses propane, a natural refrigerant, providing an environmentally sound solution for reaching your refrigeration & sustainability goals.

SPECIFICATIONS

Number of Doors	2	3	4
Exterior Dimensions Length x Height x Depth (in)*	57.7 x 80.9 x 31.8	84.1 x 80.9 x 31.8	110.5 x 80.9 x 31.8
Interior Dimensions Length x Height x Depth (in)*	54.0 x 64.2 x 25.6	80.0 x 64.2 x 25.6	106.0 x 64.2 x 25.6
Total Display Area TDA (ft²)	20.8	31.2	41.5
Storage capacity (ft³)	31.8	47.7	63.6
Standard # of Rows & Depth of Shelving**	5 Rows @ 20" Depth	5 Rows @ 20" Depth	5 Rows @ 20" Depth
Product Temperature Range (°F)	(-15) - 0	(-15) - 0	(-15) - 0
Electrical Requirements (Voltage/Hertz/Phase)	115 V / 60 HZ / 1 ph	115 V / 60 HZ / 1 ph	115 V / 60 HZ / 1 ph
Lights	LED Mullion	LED Mullion	LED Mullion

* 2.44" thickness for each end included in the dimensions above

** Shelves can be positioned at 2 different angles and varying heights

MAIN ADVANTAGES



Incorporated
condensing unit



Hot gas
defrost



Ventilated



LED lighting



High Efficiency
fans



Propane
Refrigerant
Gas (R290)

GREAT FOR



Frozen food



Ice cream

ACCESSORY INFORMATION


AVAILABLE ACCESSORIES

Transparent divider for multiplexing

Multiplex kit

Additional shelves





Plug type 2-3D:
NEMA L5-20P
9.8 ft. cord length



Plug type 4D:
NEMA L5-30P
9.8 ft. cord length



KYSOR WARREN
epta refrigeration

FROZEN & Raw Diets!







www.kysorwarren.com

