

TANGO NEXT KW COMPACT



KYSOR WARREN
eptarefrigeration

*MEDIUM TEMPERATURE REACH-IN
SELF CONTAINED MERCHANDISER*



Meat



Chicken



Delicatessen



Cheese



Dairy products



Sandwiches



Drinks



Pre-packed
F&V



TECHNICAL FEATURES



Incorporated
condensing
unit



Off-cycle
defrost



Ventilated




LED lighting



High
Efficiency
fans



Propane
Refrigerant
(R290)



Plug type:
NEMA 5-15P
6.56 ft.cord length

TANGO NEXT KW COMPACT



KYSOR WARREN
eptarefrigeration

MEDIUM TEMPERATURE REACH-IN
SELF CONTAINED MERCHANDISER

TECHNICAL INFORMATION

GENERAL CASE DATA	2 Doors	3 Doors	4 Doors
Exterior Dimensions (L x H x D) (in)*	52.37 x 80.70 x 29.15	76.97 x 80.70 x 29.15	101.59 x 80.70 x 29.15
Interior Dimensions (L x H x D) (in)*	49.23 x 61.90 x 18.20	73.83 x 61.90 x 18.20	98.45 x 61.90 x 18.20
Total Display Area TDA (ft ²)	20.05	30.08	40.10
Internal Volume (ft ³)	37.96	57.67	76.60
Standard # of Rows & Depth of Shelving**	5 Rows @ 17.72" Depth	5 Rows @ 17.72" Depth	5 Rows @ 17.72" Depth
*1.57" thickness for each end included in the dimensions above			
**Shelves can be positioned at 4 different angles and varying heights			

PACKAGING (General)			
Packaging Dimensions (L x H x D) (in)	57.5 x 89.2 x 32.7	82.1 x 89.2 x 32.7	106.7 x 89.2 x 32.7
Net Weight (lb)	553	763	1012
Gross Weight (lb)	661	926	1,155

THERMAL LOAD (GENERAL)			
Refrigerant Type	R-290	R-290	R-290
Estimated Refrigerant Charge Per Circuit (grams/oz)	150 / 5.29	150 / 5.29	150 / 5.29
Compressor HP	0.5	1.25	1.25
Refrigerant Circuits	1	1	1
Heat Rejection (BTU/HR)	2300	2700	4210

ELECTRICAL DATA			
Power Supply (Volts/Hertz/Phase)	115V/60HZ/1PH	115V/60HZ/1PH	115V/60HZ/1PH
Amps	6.2	10.5	10.5
Minimum Circuit Ampacity (A)	12.0	12.0	12.0
Maximum Overcurrent Protection (A)	15	15	15
Plug Type	NEMA 5-15P	NEMA 5-15P	NEMA 5-15P

DEFROST DATA	Off Cycle
Defrosts per Day	6
Termination Temp (°F)	41-40

Type I refrigerator, intended for use in an area where the environmental conditions are controlled and maintained that conditions do not exceed 77°F and 60%RH.

Kysor Warren Epta US, whose policy is one of continuous improvement, reserves the right to change at any time specifications, designs, or prices without incurring obligation.

TANGO NEXT KW COMPACT



KYSOR WARREN
epta refrigeration

*MEDIUM TEMPERATURE REACH-IN
SELF CONTAINED MERCHANDISER*

